

OFFICIAL

27 January 2021

Our Ref: L/LIC/JSY

Your Ref:

The Clerk
Argyll & Bute Licensing Board
Kilmory
DX599700
LOCHGILPHEAD
PA31 8RT



Argyll & West Dunbartonshire
'L' Division Headquarters
Stirling Road
DUMBARTON
G82 3PT

Tel: 01389 822033

Dear Sir

**LICENSING (SCOTLAND) ACT 2005: SECTION 29
APPLICATION FOR VARIATION OF A PREMISES LICENCE
APPLICANT: THE TAYNUILT TRADING LTD
PREMISES: TAYNUILT HOTEL**

I refer to the above application and in terms of section 22(1)(b)(ii) and (iii) of the Act, I make the following representation.

The Board will be aware the applicant has applied to increase the outside drinking area. In relation to the area detailed to the front of the property, the Chief Constable would suggest appropriate delineation would be required along the front of the Hotel between the area and the road to protect the patrons from vehicles travelling along the A85 trunk road.

In relation to the area to the left hand side of the premises, the plan submitted with the application does not seem to be to scale as it appears to indicate more tables and chairs than what would be appropriate for that area. Further, consideration should also be given for safe vehicular access to the car park. Your Honours may wish to confirm with the applicant the procedure for staff and customers accessing the proposed areas safely.

In addition the Chief Constable would suggest that plastic tumblers are used for the outside area due to the proximity of passing vehicles.

Yours faithfully



John Paterson
Divisional Commander