

Angela McNeil
Nurse Lead / Training Supervisor









Support

Medical Director
Resuscitation Team – Hospital
Education Authorities
130+ Community Volunteers
200 Teachers
Medical Students



Heartstart Aims

- To teach members of the public/schools what to do in a life-threatening emergency.
- To be able 'to do' something to reduce death rates from sudden cardiac arrest.
- Strengthen the first three links in the 'chain of survival'





What is Heartstart

- Teaches Basic emergency life support in the community and schools
- The unconscious casualty
- Serious bleeding
- Choking adults, children and babies
- Recognition of a suspected Heart attack
- Cardiac arrest and awareness of an AED



Why Teach Emergency Life Support

- In Scotland 3,140 cardiac arrests a year
- 54 people have a cardiac arrest every week
- Only 5 will survive
- 10%
- This equals to 2,826 deaths a year
- Bystander CPR can increase the chance of survival by up to 30%.
- Using an AED can increase their chances of survival up to 74%



By Stander CPR

- Should start immediately
- Buys time extends the period for successful resuscitation
- It increases the chance of survival
- Improves quality of survival
- Is not performed in the majority of cases



Australian Study Initial Shock

Paramedics 11.6% - 28.8%

1st Responders 10.5% - 37.8%

Bystanders 06.7% - 55.5%



Heartstart Cowal

Six volunteers

Geographical area of Cowal

Schools/parents and community /work places

Support - Publicity, venues, funding